MAY 10, 2022

KARSTEN SILZ







BULD MOBILE. WEB & DESKTOP FRONTENDS WITH FLUTTER & 1 CODEBASE?




ILL SHOW YOU

BUT WE SHOULDN'T



NOBLE: EBE CE DESKTOP: F



ILTELL YOU WHY


WHY & HOW CROSS-PLATFORM

HOW FLUTER WORKS

MY FLUTTER EXPERIENCES

WHEN TO USE WHICH FRAMEWORK

WHO MADE ME THE EXPERT?



FLUTTER APP IN APP STORES

INFOQ JAVA EDITOR, PC QCON LONDON

JAVA DEVELOPER FOR 23 YEARS

USE JAVA, ANGULAR & FLUTTER -Not associated

I GIVE YOU OPTIONS...

BUT YOU DECIDE!





WHY & HOW CROSS-PLATFORM


HOW FLUTER WORKS

MY FLUTTER EXPERIENCES


WHEN TO USE WHICH FRAMEWORK

WHY CROSS-PLATFORM FRONT-ENDS?

USERS ARE MULT-PLATFORM




iOS JETPACK SWIF COMPOSE **SWIFT KOTI IN**



SWIFTUI SWIFT

<section-header><section-header>



1 FRAMEWORK, 1 LANGUAGE CROSS-PLATFORM

NOBLE Isotopic of the second second

CROSS-PLATFORM FRONT-ENDS-CHEAPER & GOOD ENOUGH

GOOD ENOUGHE ENTERPRISE & CONSUMER APPS - NOT GAMES

CROSS-PLATFORM FRONT- ENDS

EXAMPLE & HOW CROSS-PLATFORM

HOW FLUTER WORKS

MY FLUTTER EXPERIENCES

WHEN TO USE WHICH FRAMEWORK

HOW CROSS-PLATFORM FRONT-ENDS?


BIGGEST SOFTWARE ECOSYSTEM EVER

MOST DEVELOPERS

REACT, ANGULAR, VUE

HARD TO LEARN






HTML, CSS JAVASCRIPT/TYPESCRIPT


NOBLE ios

MISSING ON IOS: PUSH NOTIFICATIONS, BACKGROUND SYNC **RESTRICTED: LOCAL STORAGE, NOT ALL NATIVE FEATURES** OFTEN SLOWER, LESS COMFORTABLE DOESN'T HAVE "PREMIUM FEEL" OF NATIVE LOOK & FEEL


ISSUES: WEB ON MOBILE

GERMAN ONLINE BANKING APP







20:42 🕇		
29 E kann Bank	Q	
Karsten Silz	04:49 ບ	
Aktuelle Meldungen		
Finanzstatus	Ansicht ändern	
Beim letzten Besuch haben wir eine automatische Abmeldung vorgenommen. Bitte immer die Funktion "Abmelden" nutzen, um den Besuch im Banking zu beenden.		
Konten & Karten Bezeichnung IBAN / Konto	Saldo in €	
Girokonto DE51		
Kreditkarte 3685	\sim	
Summe in Euro	100.00	
Gesamtsumme in Euro		
	fts ung enthalten. gsøuum verfügt ∽nt, fallen	
Sollzinsen an.		



20:42 🕇	
29 Das kann Bank	Q
Karsten Silz	04:49 ບ
Aktuelle Meldungen	
Finanzstatus	Ansicht ändern
Beim letzten Besuch haben wir eine au Abmeldung vorgenommen. Bitte immer "Abmelden" nutzen, um den Besuch im beenden.	die Funktion
Kantan 8 Kantan	
Konten & Karten Bezeichnung	
IBAN / Konto	Saldo in €
Girokonto DE51	
Kreditkarte	
3685	a creation of the
Summe in Euro	
Gesamtsumme in Euro	-
Hinweis	
	nts ung enthalten. gso um verfügt mt, fallen



20:42 🕇	
29 Das kann Bank	Q
Karsten Silz	04:49 ບ
Aktuelle Meldungen	
Finanzstatus	Ansicht ändern
Beim letzten Besuch haben wir eine au Abmeldung vorgenommen. Bitte immer "Abmelden" nutzen, um den Besuch im beenden.	die Funktion
Kantan 8 Kantan	
Konten & Karten Bezeichnung	
IBAN / Konto	Saldo in €
Girokonto DE51	
Kreditkarte	
3685	a creation of the
Summe in Euro	
Gesamtsumme in Euro	-
Hinweis	
	nts ung enthalten. gso um verfügt mt, fallen



LOOKS NICER, EASIER TO USE ("LIKE OTHER APPS")

GOOGLE APPS ON IOSE MATERIAL U =>

"REALLY MAKE PRODUCTS FEEL GREAT ON APPLE PLATFORMS" JEFF VERKOEYEN, GOOGLE

CROSS-PLATFORM X 2: WEB + NATIVE



HTML, CSS JAVASCRIPT/TYPESCRIPT

iOS NATIVE CROSS-PLATFORM

RUNS NATIVELY, IN APP STORES NATIVE LOOK & FEEL

ACCESS TO NATIVE PLATFORM FEATURES



DEFINE: NATVE

NATIVE CROSS-PLATEORX FRAMEWORKS?

FLUTTER (GOOGLE)

REACT NATIVE (META)

XAMARIN/.NET MAUI (MICROSOFT)

JAVAFX (GLUON)



WHICH FRAMEWORK IS POPULAR?

EASIER TO LEARN & USE EASIER TO CONVINCE TEAMMATES/BOSSES ALL ELSE EQUAL: USE MOST POPULAR

VERY UNPOPULAR: DON'T USE IT

WHY POPULARITY?





I MEASURE TECHNOLOGY POPULARITY


EMPLOYER POPULARITY. MENTONED IN JOBADS @ NDEED (62 COUNTRIES)

TEAMMATES: CAN I FIND A JOB?


BOSS: CAN I HIRE DEVELOPERS?










DEVELOPER POPULARTY. COURSES BOUGHT @




0	o			_	
100%	100%	100%	100%	100%	100%










DEVELOPER POPULARITY: GOOGLE SEARCHES





DEVELOPER POPULARITY. STACK OVER ELOW






EMPLOYER POPULARITY: REACT NATIVE WINS BY 2.5X, HOLDING STEADY AGAINST FLUTTER

DEVELOPER POPULARITY: FLUTTER WINS BY 2X, PULLING AWAY FROM REACT NATIVE





NEWSLETTER. JVM LANGUAGES & FRAMEWORKS, DATABASES, WEB FRAMEWORKS

SECTION SUMMARY

WEB: BIGGEST, MANY DEVS, HARD TO LEARN – REACT, ANGULAR, VUE

NATIVE: MOBILE – FLUTTER (DEVELOPERS), REACT NATIVE (EMPLOYERS), .NET MAUI, JAVAFX

CROSS-PLATFORM FRONT-ENDS

HOW FLUTTER WORKS


MY FLUTTER EXPERIENCES

WHEN TO USE WHICH FRAMEWORK

HOW FLUTTER WORKS



WILL GOOGLE KIL FLUTTER?



Search



2023

Google Currents (2019)

Floating belly up in 11 months, Google Currents was service that provided social media features similar to Google+ for Google Workspace customers. It will be almost 4 years old.



Follow @killedbygoogle on Twitter.



Google OnHub

December 2022

To be turned off in 8 months, Google OnHub was a series of residential wireless routers manufactured by Asus and TP-Link that were powered by Google software, managed by Google apps, and offered enhanced special features like Google Assistant. It will be



June 2022



To be exterminated in 2 months, Google Chrome Apps were hosted or packaged web applications that ran on the Google Chrome browser. It will be over 11 years old.



December 2022

YouTube Originals

Getting unplugged in 8 months, YouTube Originals was a variety of original content including scripted series, educational videos, and music and celebrity programming. It will be over 6 years old.

Google Chrome Apps




2022

G Suite (Legacy Free Edition)

Off to the glue factory in 7 days, G Suite (Legacy Free Edition) was a free tier offering some of the services included in Google's productivity suite. It will be over 15 years old.






IN-HOUSE COMPETITION: ANGULAR, JETPACK COMPOSE EXTERNAL COMMITMENT: TOYOTA, UBUNTU

OPULAR: WINS WITH DEVS, 2ND PLACE IN JOBS

WE DON'T KNOW!

WHICH PLATFORM STABLE SINCE WHEN?







MAR 2021



PROGRAMMING LANGUAGE: DART


class MyClass extends AnotherClass { String firstName = "Karsten"; int yearsOfJava = 23;

String sayHello(String name) { return feedback;



```
List<String> myList = new LinkedList<>();
```

```
var feedback = "Hello, " + name;
```



class MyClass extends AnotherClass { String firstName = "Karsten"; int yearsOfJava = 23; List<String> myList = List.empty();

String sayHello(String name) { return feedback;



- var feedback = "Hello, " + name;



class MyClass extends AnotherClass { var firstName = "Karsten"; var yearsOfJava = 23; var myList = <String>[];



$sayHello(String name) \implies$ "Hello, \$name";


class MyClass extends AnotherClass { String firstName = "Karsten"; int yearsOfJava = 23;

String sayHello(String name) { return feedback;



```
List<String> myList = new LinkedList<>();
```

```
var feedback = "Hello, " + name;
```



ORIGINALLY FOR BROWSER

SOUND NULL SAFETY & ASYNC/AWAIT

1 MAIN THREAD, CREATE THREADS (ISOLATES)





"SIMPLIFIED JAVA FOR UI DEVELOPMENT"



GOOGLE TUNES DART FOR FLUTTER

return Column(children: Text("First name: \$firstName"), Text("Last name: \$lastName"),],);



if (isAdmin) Text("Password: \$password"),

DINAL DUJAK

Text("First name: \$firstName"), Text("Last name: \$lastName"),], WITH IF STATEMENT

SYNTACTIC SUGAR

if (isAdmin) Text("Password: \$password"),


INSTEAD OF SEPARATE ARRAY

LIBRARIES: PLUGINS

23K PLUGINS, NOT ALL FOR WEB/DESKTOP **MOST ARE OPEN-SOURCE**

GOOD "PLUGIN SURVIVAL RATIO"

FORKING PLUGINS IS EASY



PLUGNS

UI ELEMENTS: WIDGETS

Column(

mainAxisAlignment: MainAxisAlignment.center, children: <Widget>[Text('Pushed \$_counter times'), ElevatedButton(onPressed: () \Rightarrow $setState(() \Rightarrow _counter++),$ child: Icon(Icons.add),

U AS CODE

CONFIGURE BUILT-IN WIDGETS, CREATE YOUR OWN EMULATED WITH GRAPHIC ENGINE SKIA (CHROME,

FIREFOX)

NO NATIVE SDK UI ELEMENTS: "FLUTTER PAINTS PIXELS"







BASE: CONTAINER, ROW, COLUMN, TEXT, IMAGES, SHAPES, ...

BUILT-IN LOOK & FEEL: MATERIAL DESIGN, IOS **3RD-PARTY LOOK & FEEL: MACOS, WINDOWS, LINUX**



WDGETS SETS


SAMPLE FLUTERAPP. 5 NATIVE LOOK & FEEL WITH CODEBASE

9

Q

-1









5 NATIVE LOOK & FEEL

SWITCH LOOK & FEEL

SWICHLOOK & FEEL BECAUSE "FLUTTER PANS PXES

•	🗕 🗧 🧹 Flutter Cross App	× +			
\leftarrow	\rightarrow C (i) localhost:52677/#/				
			Form		
	First name				
	Last name				
	VIP customer				
				Cancel	Save

ElementsConsole>IIIII
<pre><tll-semantics-placenolder aria-label="Enable accessibility" aria-live="po" role="bullon" style="</pre></td></tr><tr><td>ion: absolute; left: -1px; top: -1px; width: 1px; heig</td></tr><tr><td><pre>px;" tabindex="0"></tll-semantics-placenolder></pre>
<pre>▼<flt-scene-host 3456"="" aria-hidden="true" height="2001" style="position bsolute; width: 1152px; height: 667px; transform: nslate(0px, 0px);"> == \$0</flt-scene-host></pre>

w-root flt-scene-host flt-scene fl	It-canvas-container canvas	s	
Styles Computed Layout Event Li	isteners »		
Filter :hov .cls + 📕	ion 0		
<pre>element.style { position: absolute; width: 1152px; height: 667px; transform: translate(0px, 0px); }</pre>	argin - border - padding - - 1152×667		
<pre>canvas[Attributes Style] {</pre>	-		



•	🗕 🗧 🧹 Flutter Cross App	× +			
\leftarrow	\rightarrow C (i) localhost:52677/#/				
			Form		
	First name				
	Last name				
	VIP customer				
				Cancel	Save

🕞 🖥 Elements Console » 🗦 1 💠 🗧 🗙					
<pre><tll-semantics-placenolder 0"="" aria-label="Enable accessibility" aria-live="po
tabindex=" role="bullon" style="</pre></th></tr><tr><th>ion: absolute; left: -1px; top: -1px; width: 1px; heig</th></tr><tr><th colspan=6><pre>px;"></tll-semantics-placenolder></pre>					
<pre>▼<flt-scene-host aria-hidden="true" style="pointer-even</pre></th></tr><tr><th>one;"> ====================================</flt-scene-host></pre>					
<pre>// ▼<flt-scene></flt-scene></pre>					
<pre> flt-canvas-container> </pre>					
<pre> <pre><</pre></pre>					

)w-ro	oot flt-scene-host flt-scene	flt-canvas-container	canvas	
Styles	Computed Layout Event	Listeners »		
Filter	:hov .cls +₄ ▶	ion 0		
posit width heigh	<pre>style { ion: absolute; i 1152px; it: 667px; form: translate(0px, 0px);</pre>	argin - border padding - - 1152×667		-56
canvas[/	Attributes Style] {	-		



SAMPLE APP ON GITHUB

CREATED MY OWN WIDGETS

WIDGETS HAVE SWITCH STATEMENT => CREATES WIDGET FOR CURRENT PLATFORM

HOW DOES SWITCH WORK?

GLOBAL STATE MANAGEMENT: "PROVIDER" WIDGET SET: MATERIAL/NATIVE/CUSTOM **ROUTING: SIMPLE ("NAVIGATOR")/COMPLEX ("ROUTER")** LAYOUT: NO DEFAULT – 3RD PARTY PLUGIN ARCHITECTURAL CHOICES

NATIVE INTEGRATION

IOS/ANDROID: STABLE

WEB/DESKTOP: UNDER CONSTRUCTION?







PLUGINS: CAMERA, PICTURES, LOCATION, ...

MOBILE: SHOW NATIVE SCREENS + WEB VIEWS

MOBILE: CHANNELS (PUBLISH & SUBSCRIBE) TO NATIVE CODE & C-API

NATIVE CODE IN FLUTTER

RUN NATIVELY

ANDROID: ANDROID STUDIO, IOS/MACOS: MACOS + XCODE, WINDOWS: WINDOWS + VISUAL STUDIO

FLUTTER ENGINE: JAVASCRIPT (WEB), C/C++

FLUTTER APP: NATIVE ARM LIBRARY (MOBILE), JAVASCRIPT (WEB), C++ (WINDOWS, LINUX), OBJECTIVE-C (MACOS)

PLATFORM TOOL CHAINS

CODE, BULD&DEPLOY

DEVELOPER EXPERENCE"

DE INTELLIJ/ANDROID STUDIO & VISUAL STUDIO CODE **DEV TOOLS: INSPECTOR, PROFILER FOR MEMORY, CPU &** NETWORK, "JANK" DIAGNOSIS, WORK IN TERMINAL





MONOREPO: CODE FOR ALL PLATFORMS IN 1 GIT PROJECT

1 FOLDER FOR DART, 1 FOLDER PER PLATFORM (SOME PROJECTS - XCODE, ANDROID STUDIO)

PLATFORM: NATIVE SHELLS (APPDELEGATE.SWIFT, MAINACTIVITY.KT)

PROJECT STRUCTURE


SLOW IOS/ANDROID BUILDS DART VM DURING DEVELOPMENT HOT RESTART: APP STARTS OVER IN 3 SECONDS HOT RELOAD: 1 SECOND FROM "SAVED" TO "RUNNING"

FAST BUILD & DEPLOY

FLUTTER PLATFORM CHECK

General Price of 1" **G** NATIVE LOOK & FEEL **G** ACCESS TO NATIVE LIBRARIES **EXAMPLE 7 FASTER BUILD & DEPLOY**





ONLY MATERIAL UI NO ACCESS TO JAVASCRIPT LIBRARIES TINY AMOUNT OF LIBRARIES VS. JAVASCRIPT



WHY NOT WEB? ONLY WINDOWS STABLE, MAC & LINUX NOT ACCESS TO NATIVE LIBRARIES WINDOWS & MACOS UI: INCOMPLETE, MAINTAINED?



SECTION SUMMARY

DART

PLUGINS

WIDGETS

WIDGET SETS

NATIVE INTEGRATION RUNS NATIVELY CODE. BUILD & DEPLOY PLATFORM CHECK



THAT'S HOW FLUTTER WORKS

MY FLUTTER EXPERIENCES

WHEN TO USE WHICH FRAMEWORK

MY FLUTTER EXPERIENCES

B2B SAAS FOR CAT-SITTERS

REMOVE FRICTION & SAVETIME

I WROTE ALL CODE



MY START-UP

CAT-SITER FRONT-END

MANA-GER

FLUTTER **IOS & ANDROID**

ANGULAR

milla siculi the

a array boar war was a array array to be a with



BACK-END



UNLIMITED STORAGE, PUSH NOTIFICATIONS AS FAST & EASY TO USE AS POSSIBLE => NATIVE UI PRODUCTIVITY: DART + FAST CODE, BUILD & DEPLOY

FLUTTER BUSINESS CASE

WORKS AS DESIGNED: "2 APPS FOR PRICE OF 1"

MINOR QUIBBLES (E.G. SIMULATOR DOESN'T STOP)

APPLE TROUBLE (E.G., NO PASTE INTO SIMULATOR)

FLUTTER LISTENS (BUG FIXES, DEV SURVEYS)

FLUTTER ON MOBILE


WORKS WELL ON IOS & ANDROID

IOS QUIBBLES (NO LIST TILE)

FLUTTER TEAM: DON'T USE NATIVE LOOK & FEEL, "CUSTOMIZE MATERIAL"

FLUTTER PAINTS PIXELS

NATIVE LOOK & FEEL: IOS VS. ANDROID



Help, Settings & About

Known Issues		>
Help		>
What's New?		>
What's Planned?		>
Settings		>
About		2022.2.1>
;		@
• — Tasks	Team	My Data



Team

Help, Settings & About

Known Issues

Help

What's New?

What's Planned?

Settings


About 2022.2.0

ίΞ

Tasks



O My Data



Help, Settings & About

Known Issues		>
Help		>
What's New?		>
What's Planned?		>
Settings		>
About		2022.2.1>
~	• • •	
*		
Tasks	Team	My Data



Help, Settings & About

Known Issues

Help

What's New?

What's Planned?


Settings

About 2022.2.0

Tasks







Help, Settings & About

Known Issues		
Help		
What's New?		>
What's Planned?		>
Settings		>
About		2022.2.1>
;		0
• — Tasks	Team	My Data



My Data



Team

Help, Settings & About

Known Issues

Help


What's New?

What's Planned?

Settings

About 2022.2.0


> ***** Tasks








NATIVE LOOK & FEEL: IOS DETAILS




Tasks

9:41 AM	100% 🔲		
oen Visits	and the second into		
Tomorrow	Week	Auroli V	
1630 W TO TO TO	Are the second and the		
n	Done	>	
	Done	>	
ano	In progress	>	
	Planned	\ \	
	Flaimeu		
ano	Planned	>	
n	Planned	>	
booking, drop	o off key with		
	0		
Team	My Data		

RECENTLY ADDED IOS UI ELEMENT



CUSTOM U ELEMEN



SAME ON ANDROID



GOOGLE'S "BACK-END AS A SERVICE": MOBILE, WEB, SERVER

MOSTLY FREE SERVICES (AUTHENTICATION, ANALYTICS), SOME PAID (DATABASE, FILE STORAGE)

1 SERVICE INSTEAD OF 2 (IOS + ANDROID): CRASH LOGGING, **TEST VERSION DISTRIBUTION**



MOBILE POWER

BE CONSISTENT

BACK TO BASICS

1 SOURCE OF UI TRUTH

MORE ON TALK PAGE

MY FLUTTER EXPERIENCES

WHEN TO USE WHICH FRAMEWORK

WHENTOUSE WHICH NATIVE CROSS-PLATFORM FRAMEWORK?

SUMMARY SO FAR

WHY CROSS-PLATFORM FRONT-ENDS?

CROSS-PLATFORM FRONT-ENDS-CHEAPER & GOOD ENOUGH

HOW CROSS-PLATFORM FRONT-ENDS?

WEB: BIGGEST, MANY DEVS, HARD TO LEARN – REACT, ANGULAR, VUE

NATIVE: MOBILE – FLUTTER (DEVELOPERS), REACT NATIVE (EMPLOYERS), .NET MAUI, JAVAFX

HOW FLUTTER WORKS



PLUGINS

WIDGETS

WDGET SETS

NATIVE INTEGRATION

RUNS NATIVELY

CODE, BUILD & DEPLOY

PLATFORM CHECK



MY FLUTTER EXPERIENCES

BUSINESS CASE

FLUTTER

FLUTTER PAINTS PIXELS



FLUTTER VS. WORLD

JAVASCRIPT SLOWER NATIVE UI ELEMENTS **SEPARATE PROJECTS** (WINDOWS & MACOS)

REACT NATIVE VS. FLUTTER

DART FASTER **PAINTS PIXEL** MONOREPO WINDOWS, MAC, LINUX


MUCH MORE POPULAR & MATURE THAN JAVAFX DART = SIMPLER JAVAUIAS CODE WITH CLASSES USE 2 OF THE 3 TOP JAVA DES



WHENTOUSE WHICH NATIVE CROSS-PLATFORM FRAMEWORK?

ELSE FLUTTER

DEVELOPER EXPERIENCE





BACK TO THE BIG QUESTION

BULD MOBILE. WEB & DESKTOP FRONTENDS WITH FLUTTER & 1 CODEBASE?




Safari 奈		2:35 PM	
	Cancel	Form	Save
	Karsten		
	Last name		
	VIP customer		
















Ů ☆

Form




s

Cance




	~
	:
ave	




		VIP customer	
	2	Last name Doe	
۵	Settings	Karsten	
≣	Form	First name	
0	Info		




IDOWS





flutter_native_ui_cross_example











BUT WE SHOULDN'T



NOBLE: EBE CE DESKTOP: F

MOBILE: "2 APPS FOR THE PRICE OF 1", FASTER BUILD & DEPLOY

WEB: ONLY MATERIAL UI, VERY FEW **L**BRARIES

DESKTOP: WHY NOT WEB, ONLY WINDOWS STABLE

WHENTOUSE WHICH NATIVE CROSS-PLATFORM FRAMEWORK?

En la la constante de la la la la la la constante de la la la constante de la la la la constante de la la la constante de la constante de la constante de la la la constante de la const



MY TALK DOESN'T STOP WHEN I STOP TALKING!TM



SLDES & VDEOS ADDTIONAL INFORMATION NATIVE UI SAMPLE APP GET STARTED WITH FLUTTER FEEDBACK & NEWSLETTER







